

Sintaxis

Niño: >

```
nav>ul>li
<nav>
  <ul>
    <li></li>
  </ul>
</nav>
```

Agrupación: ()

```
div>(header>ul>li*2>a)+footer>p
<div>
  <header>
    <ul>
      <li><a href=""></a></li>
      <li><a href=""></a></li>
    </ul>
  </header>
  <footer>
    <p></p>
  </footer>
</div>
```

(div>dl>(dt+dd)*3)+footer>p

```
<div>
  <dl>
    <dt></dt>
    <dd></dd>
    <dt></dt>
    <dd></dd>
    <dt></dt>
    <dd></dd>
  </dl>
</div>
<footer>
  <p></p>
</footer>
```

Nombres de etiqueta implícitos

```
.class
<div class="class"></div>
em>.class
<em><span class="class"></span></em>
ul>.class
<ul>
  <li class="class"></li>
</ul>
table>.row>.col
<table>
  <tr class="row">
    <td class="col"></td>
  </tr>
</table>
```

Texto: {}

```
a{Click me}
<a href="">Click me</a>
p>{Click }+a{here}+{ to continue}
<p>Click <a href="">here</a> to continue</p>
```

Hermano: +

```
div+p+bq
<div></div>
<p></p>
<blockquote></blockquote>
```

Multiplicación: *

```
ul>li*5
<ul>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
</ul>
```

Atributos ID y CLASS

```
#header
<div id="header"></div>
.title
<div class="title"></div>
form#search.wide
<form id="search" class="wide">
</form>
p.class1.class2.class3
<p class="class1 class2 class3"></p>
```

Atributos personalizados

```
p[title="Hello world"]
<p title="Hello world"></p>
td[rowspan=2 colspan=3 title]
<td rowspan="2" colspan="3" title="">
</td>
[a='value1' b="value2"]
<div a="value1" b="value2"></div>
```

Cruzar: ^

```
div+div>p>span+em^bq
<div></div>
<div>
  <p><span></span><em></em></p>
  <blockquote></blockquote>
</div>
div+div>p>span+em^^bq
<div></div>
<div>
  <p><span></span><em></em></p>
</div>
<blockquote></blockquote>
```

Numeración de los artículos: \$

```
ul>li.item$*5
<ul>
  <li class="item1"></li>
  <li class="item2"></li>
  <li class="item3"></li>
  <li class="item4"></li>
  <li class="item5"></li>
</ul>
```

h\${title=item\$}{Header \$}*3

```
<h1 title="item1">Header 1</h1>
<h2 title="item2">Header 2</h2>
<h3 title="item3">Header 3</h3>
```

ul>li.item\$\$*\$5

```
<ul>
  <li class="item001"></li>
  <li class="item002"></li>
  <li class="item003"></li>
  <li class="item004"></li>
  <li class="item005"></li>
</ul>
```

ul>li.item\$@-*5

```
<ul>
  <li class="item5"></li>
  <li class="item4"></li>
  <li class="item3"></li>
  <li class="item2"></li>
  <li class="item1"></li>
</ul>
```

ul>li.item\$@3*5

```
<ul>
  <li class="item3"></li>
  <li class="item4"></li>
  <li class="item5"></li>
  <li class="item6"></li>
  <li class="item7"></li>
</ul>
```

HTML

Todas las abreviaturas desconocidas se transformarán en etiqueta, por ejemplo, foo → <foo></foo>.

!: Alias de html:5	br	source:media, src:m
<!DOCTYPE html>	 	<source media="(min-width:)" srcset="" />
<html lang="en">	frame	source:type, src:t
<head>	<frame />	<source srcset="" type="image/" />
<meta charset="UTF-8" />	hr	source:sizes, src:z
<title>Document</title>		<source sizes="" srcset="" />
</head>	bdo	source:media:type, src:mt
<body>	<bdo dir=""></bdo>	<source media="(min-width:)" srcset="" type="image/" />
</body>	bdo:r	source:media:sizes, src:mz
</html>	<bdo dir="rtl"></bdo>	<source media="(min-width:)" sizes="" srcset="" />
link	bdo:l	source:sizes:type, src:zt
<link rel="stylesheet" href="" />	<bdo dir="ltr"></bdo>	<source sizes="" srcset="" type="image/" />
link:css	col	iframe
<link rel="stylesheet" href="style.css" />	<col />	<iframe src="" frameborder="0"> </iframe>
link:print	meta	embed
<link rel="stylesheet" href="print.css" media="print" />	<meta />	<embed src="" type="" />
link:favicon	meta:utf	object
<link rel="shortcut icon" type="image/x-icon" href="favicon.ico" />	<meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />	<object data="" type="" />
link:touch	meta:win	param
<link rel="apple-touch-icon" href="favicon.png" />	<meta http-equiv="Content-Type" content="text/html; charset=windows-1251" />	<param name="" value="" />
link:rss	meta:vp	map
<link rel="alternate" type="application/rss+xml" title="RSS" href="rss.xml" />	<meta name="viewport" content="width=device-width, user-scalable=no, initial-scale=1.0, maximum-scale=1.0, minimum-scale=1.0" />	<map name="" />
link:atom	meta:compat	area
<link rel="alternate" type="application/atom+xml" title="Atom" href="atom.xml" />	<meta http-equiv="X-UA-Compatible" content="IE=7" />	<area shape="" coords="" href="" alt="" />
link:import, link:im	style	area:d
<link rel="import" href="component.html" />	<style></style>	<area shape="default" href="" alt="" />
a	script	area:c
	<script></script>	<area shape="circle" coords="" href="" alt="" />
a:link	script:src	area:r
	<script src=""></script>	<area shape="rect" coords="" href="" alt="" />
a:mail	img	area:p
		<area shape="poly" coords="" href="" alt="" />
abbr	img:srcset, img:s	form
<abbr title=""></abbr>		<form action="" />
acronym, acr	img:sizes, img:z	form:get
<acronym title=""></acronym>		<form action="" method="get" />
base	picture	form:post
<base href="" />	<picture></picture>	<form action="" method="post" />
basefont	source, src	label
<basefont />	<source />	<label for=""></label>
	source:src, src:sc	
	<source src="" type="" />	
	source:srcset, src:s	
	<source srcset="" />	

MÁS



HTML

input
 <input type="text" />
inp
 <input type="text" name="" id="" />
input:hidden, input:h
 Alias de input[type=hidden name]
 <input type="hidden" name="" />
input:text, input:t
 Alias de inp
 <input type="text" name="" id="" />
input:search
 Alias de inp[type=search]
 <input type="search" name="" id="" />
input:email
 Alias de inp[type=email]
 <input type="email" name="" id="" />
input:url
 Alias de inp[type=url]
 <input type="url" name="" id="" />
input:password, input:p
 Alias de inp[type=password]
 <input type="password" name="" id="" />
input:datetime
 Alias de inp[type=datetime]
 <input type="datetime" name="" id="" />
input:date
 Alias de inp[type=date]
 <input type="date" name="" id="" />
input:datetime-local
 Alias de inp[type=datetime-local]
 <input type="datetime-local" name="" id="" />
input:month
 Alias de inp[type=month]
 <input type="month" name="" id="" />
input:week
 Alias de inp[type=week]
 <input type="week" name="" id="" />
input:time
 Alias de inp[type=time]
 <input type="time" name="" id="" />
input:tel
 Alias de inp[type=tel]
 <input type="tel" name="" id="" />
input:number
 Alias de inp[type=number]
 <input type="number" name="" id="" />
input:color
 Alias de inp[type=color]
 <input type="color" name="" id="" />
input:checkbox, input:c
 Alias de inp[type=checkbox]
 <input type="checkbox" name="" id="" />
input:radio, input:r
 Alias de inp[type=radio]
 <input type="radio" name="" id="" />

input:range
 Alias de inp[type=range]
 <input type="range" name="" id="" />
input:file, input:f
 Alias de inp[type=file]
 <input type="file" name="" id="" />
input:submit, input:s
 <input type="submit" value="" />
input:image, input:i
 <input type="image" src="" alt="" />
input:button, input:b
 <input type="button" value="" />
isindex
 <isindex />
input:reset
 Alias de input:button[type=reset]
 <input type="reset" value="" />
select
 <select name="" id="" /></select>
select:disabled, select:d
 Alias de select[disabled.]
 <select name="" id="" disabled="disabled" /></select>
option, opt
 <option value="" /></option>
textarea
 <textarea name="" id="" cols="30" rows="10" /></textarea>
marquee
 <marquee behavior="" direction="" /></marquee>
menu:context, menu:c
 Alias de menu[type=context]>
 <menu type="context" /></menu>
menu:toolbar, menu:t
 Alias de menu[type=toolbar]>
 <menu type="toolbar" /></menu>
video
 <video src="" /></video>
audio
 <audio src="" /></audio>
html:xml
 <html xmlns="http://www.w3.org/1999/xhtml" /></html>
keygen
 <keygen />
command
 <command />
button:submit, button:s, btn:s
 Alias de button[type=submit]
 <button type="submit" /></button>
button:reset, button:r, btn:r
 Alias de button[type=reset]
 <button type="reset" /></button>
button:disabled, button:d, btn:d
 Alias de button[disabled.]
 <button disabled="disabled" /></button>
fieldset:disabled, fieldset:d, fset:d, fst:d
 Alias d fieldset[disabled.]
 <fieldset disabled="disabled" /></fieldset>

MÁS



HTML

bq	adr	ri:dpr, ri:d
Alias de blockquote	Alias de address	Alias de img:s
<blockquote></blockquote>	<address></address>	
fig	dlg	ri:viewport, ri:v
Alias de figure	Alias de dialog	Alias de img:z
<figure></figure>	<dialog></dialog>	
figc	str	ri:art, ri:a
Alias de figcaption	Alias de strong	Alias de pic>src:m+img
<figcaption></figcaption>		<picture>
pic	prog	<source media="(min-width:)" srcset="" />
Alias de picture	Alias de progress	
<picture></picture>	<progress></progress>	</picture>
ifr	mn	ri:type, ri:t
Alias de iframe	Alias de main	Alias de pic>src:t+img
<iframe src="" frameborder="0"> </iframe>	<main></main>	<picture>
emb	tem	<source srcset="" type="image/" />
Alias de embed	Alias de template	
<embed src="" type="" />	<template></template>	</picture>
obj	datag	ol+
Alias de object	Alias dedatagrid	Alias de ol>li
<object data="" type=""></object>	<datagrid></datagrid>	
cap	datal	
Alias de caption	Alias de datalist	
<caption></caption>	<datalist></datalist>	ul+
colg	kg	Alias de ul>li
Alias de colgroup	Alias de keygen	
<colgroup></colgroup>	<keygen />	
fst, fset	out	
Alias de fieldset	Alias de output	dl+
<fieldset></fieldset>	<output></output>	Alias de dl>dt+dd
btn	det	<dl>
Alias de button	Alias de details	<dt></dt>
<button></button>	<details></details>	<dd></dd>
optg	cmd	</dl>
Alias de optgroup	Alias de command	map+
<optgroup></optgroup>	<command />	Alias de map>area
tarea	select+	<map name="">
Alias de textarea	Alias de select>option	<area shape="" coords="" href="" alt="" />
<textarea name="" id="" cols="30" rows="10"> </textarea>	<select name="" id="">	</map>
leg	<option value=""></option>	table+
Alias de legend	</select>	Alias de table>tr>td
<legend></legend>	optgroup+, optg+	<table>
sect	Alias de optgroup>option	<tr>
Alias de section	<optgroup>	<td></td>
<section></section>	<option value=""></option>	</tr>
art	</optgroup>	</table>
Alias de article	pic+	colgroup+, colg+
<article></article>	Alias de	Alias de colgroup>col
hdr	picture>source:srcset+img	<colgroup>
Alias de header	<picture>	<col />
<header></header>	<source srcset="" />	</colgroup>
ftr		tr+
Alias de footer	</picture>	Alias of tr>td
<footer></footer>		<tr>
		<td></td>
		</tr>

MÁS



HTML

```
doc
Alias de html>(head>meta[charset=${charset}]+title${1:Document})+body
<html>
<head>
  <meta charset="UTF-8" />
  <title>Document</title>
</head>
<body>

</body>
</html>
doc4
Alias de html>(head>meta[http-equiv="Content-Type"
content="text/html;charset=${charset}"]+title${1:Document})+body
<html>
<head>
  <meta http-equiv="Content-Type" content="text/html;charset=UTF-8" />
  <title>Document</title>
</head>
<body>

</body>
</html>
!!!
<!DOCTYPE html>
!!!4t
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">
!!!4s
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">
!!!xt
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
!!!xs
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
!!!xss
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN" "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
```

MÁS
↓

HTML

html:4t

Alias de !!!4t+doc4[lang=\${lang}]

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/TR/html4/loose.dtd">
<html lang="en">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
```

</body> html:4s

Alias de !!!4s+doc4[lang=\${lang}]

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">
<html lang="en">
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>

</body>
</html>
```

html:xt

Alias of !!!xt+doc4[xmlns=http://www.w3.org/1999/xhtml xml:lang=\${lang}]

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"

 "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

```
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en">
```

<head>

```
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
```

```
  <title>Document</title>
```

</head>

<body> html:xxs

Alias de !!!xxs+doc4[xmlns=http://www.w3.org/1999/xhtml xml:lang=\${lang}]

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"

 "http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">

```
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en">
```

<head>

```
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
```

```
  <title>Document</title>
```

</head>

<body>

</body>

</html>

html:5

Alias de !!!+doc[lang=\${lang}]

<!DOCTYPE html>

```
<html lang="en">
```

<head>

```
  <meta charset="UTF-8" />
```

```
  <title>Document</title>
```

</head>

<body>

</body>

</html>

CSS

El módulo CSS utiliza la búsqueda difusa para encontrar abreviaturas desconocidas

Por ejemplo ov:h == ov-h == ovh == oh.

Si no se encontró la abreviatura, se transforma en nombre de propiedad: foo-bar → foo-bar: |;

Puede anteponer un guión a las abreviaturas para obtener propiedades prefijadas por el proveedor: -foo

Formato visual.

pos	position:relative;	v	visibility:hidden;	bgi	background-image:url();
pos:s	position:static;	v:v	visibility:visible;	bgr:n	background-repeat:no-repeat;
pos:a	position:absolute;	v:h	visibility:hidden;	bgr:x	background-repeat:repeat-x;
pos:r	position:relative;	v:c	visibility:collapse;	bgr:y	background-repeat:repeat-y;
pos:f	position:fixed;	ov	overflow:hidden;	bgr:sp	background-repeat:space;
t	top:;	ov:v	overflow:visible;	bgr:rd	background-repeat:round;
t:a	top:auto;	ov:h	overflow:hidden;	bga	background-attachment:;
r	right:;	ov:s	overflow:scroll;	bga:f	background-attachment:fixed;
r:a	right:auto;	ov:a	overflow:auto;	bga:s	background-attachment:scroll;
b	bottom:;	ovx	overflow-x:hidden;	bgp	background-position:0 0;
b:a	bottom:auto;	ovx:v	overflow-x:visible;	bgpx	background-position-x:;
l	left:;	ovx:h	overflow-x:hidden;	bgpy	background-position-y:;
l:a	left:auto;	ovx:s	overflow-x:scroll;	bgbk	background-break:;
z	z-index:;	ovx:a	overflow-x:auto;	bgbk:bb	background-break:bounding-box;
z:a	z-index:auto;	ovy	overflow-y:hidden;	bgbk:eb	background-break:each-box;
fl	float:left;	ovy:v	overflow-y:visible;	bgbk:c	background-break:continuous;
fl:n	float:none;	ovy:h	overflow-y:hidden;	bgcp	background-clip;padding-box;
fl:l	float:left;	ovy:s	overflow-y:scroll;	bgcp:bb	background-clip:border-box;
fl:r	float:right;	ovy:a	overflow-y:auto;	bgcp:pb	background-clip;padding-box;
cl	clear:both;	ovs	overflow-style:scrollbar;	bgcp:cb	background-clip:content-box;
cl:n	clear:none;	ovs:a	overflow-style:auto;	bgcp:nc	background-clip:no-clip;
cl:l	clear:left;	ovs:s	overflow-style:scrollbar;	bgo	background-origin:;
cl:r	clear:right;	ovs:p	overflow-style:panner;	bgo:pb	background-origin:padding-box;
cl:b	clear:both;	ovs:m	overflow-style:move;	bgo:bb	background-origin:border-box;
d	display:block;	ovs:mq	overflow-style:marquee;	bgo:cb	background-origin:content-box;
d:n	display:none;	cp	clip:;	bgsz	background-size:;
d:b	display:block;	cp:a	clip:auto;	bgsz:a	background-size:auto;
d:f	display:flex;	cp:r	clip:rect(top right bottom left);	bgsz:ct	background-size:contain;
d:if	display:inline-flex;	rsz	resize:;	bgsz:cv	background-size:cover;
d:i	display:inline;	rsz:n	resize:none;	Color.	
d:ib	display:inline-block;	rsz:b	resize:both;	c	color:#000;
d:li	display:list-item;	rsz:h	resize:horizontal;	c:r	color:rgb(0, 0, 0);
d:ri	display:run-in;	rsz:v	resize:vertical;	c:ra	color:rgba(0, 0, 0, .5);
d:cp	display:compact;	cur	cursor:\${pointer};	op	opacity:;
d:tb	display:table;	cur:a	cursor:auto;		
d:itb	display:inline-table;	cur:d	cursor:default;		
d:tbcp	display:table-caption;	cur:c	cursor:crosshair;		
d:tbcl	display:table-column;	cur:ha	cursor:hand;		
d:tbclg	display:table-column-group;	cur:he	cursor:help;		
d:tbhg	display:table-header-group;	cur:m	cursor:move;		
d:tbfg	display:table-footer-group;	cur:p	cursor:pointer;		
d:tbr	display:table-row;	cur:t	cursor:text;		
d:tbrg	display:table-row-group;				
d:tbc	display:table-cell;				
d:rb	display:ruby;	bg	background:#000;	MÁS	
d:rbb	display:ruby-base;	bg+	background:#fff url() 0 0 no-repeat;		
d:rbbg	display:ruby-base-group;	bg:n	background:none;		
d:rbt	display:ruby-text;	bgc	background-color:#fff;		
d:rbtg	display:ruby-text-group;	bgc:t	background-color:transparent;		
zoo, zm	zoom:1;				

Background.

bg	background:#000;
bg+	background:#fff url() 0 0 no-repeat;
bg:n	background:none;
bgc	background-color:#fff;
bgc:t	background-color:transparent;

MÁS



CSS

Outline.

```
ol    outline;;
ol:n  outline:none;;
olo   outline-offset;;
olw   outline-width;;
olw:tn outline-width:thin;;
olw:m  outline-width:medium;;
olw:tc  outline-width:thick;;
ols   outline-style;;
ols:n  outline-style:none;;
ols:dt  outline-style:dotted;;
ols:ds  outline-style:dashed;;
ols:s   outline-style:solid;;
ols:db  outline-style:double;;
ols:g   outline-style:groove;;
ols:r   outline-style:ridge;;
ols:i   outline-style:inset;;
ols:o   outline-style:outset;;
olc   outline-color:#000;;
olc:i  outline-color:invert;;
```

Tablas.

```
tbl   table-layout;;
tbl:a  table-layout:auto;;
tbl:f   table-layout:fixed;;
cps   caption-side;;
cps:t  caption-side:top;;
cps:b  caption-side:bottom;;
ec    empty-cells;;
ec:s   empty-cells:show;;
ec:h   empty-cells:hide;;
```

Margin y Padding.

```
m    margin;;
m:a  margin:auto;;
mt   margin-top;;
mt:a margin-top:auto;;
mr   margin-right;;
mr:a  margin-right:auto;;
mb   margin-bottom;;
mb:a  margin-bottom:auto;;
ml   margin-left;;
ml:a  margin-left:auto;;
p    padding;;
pt   padding-top;;
pr   padding-right;;
pb   padding-bottom;;
pl   padding-left;;
```

Border.

```
bd   border;;
bd+  border:1px solid #000;;
bd:n  border:none;;
bdbk  border-break:close;;
bdbk:c border-break:close;;
```

bdcl	border-collapse:;	bds:o	border-style:outset;;
bdcl:c	border-collapse:collapse;;	bdw	border-width:;;
bdcl:s	border-collapse:separate;;	bdt, bt	border-top:;;
bdc	border-color:#000;;	bdt+:	border-top:1px solid #000;;
bdc:t	border-color:transparent;;	bdt:n	border-top:none;;
bdi	border-image:url();	bdtw	border-top-width:;;
bdi:n	border-image:none;;	bdts	border-top-style:;;
bdti	border-top-image:url();	bdts:n	border-top-style:none;;
bdti:n	border-top-image:none;;	bdtc	border-top-color:#000;;
bdri	border-right-image:url();	bdtc:t	border-top-color:transparent;;
bdri:n	border-right-image:none;;	bdr, br	border-right:;;
bdbi	border-bottom-image:url();	bdr+:	border-right:1px solid #000;;
bdbi:n	border-bottom-image:none;;	bdr:n	border-right:none;;
bdli	border-left-image:url();	bdrw	border-right-width:;;
bdli:n	border-left-image:none;;	bdrst	border-right-style:;;
bdci	border-corner-image:url();	bdrst:n	border-right-style:none;;
bdci:n	border-corner-image:none;;	bdrc	border-right-color:#000;;
bdci:c	border-corner-image:continue;;	bdrc:t	border-right-color:transparent;;
bdtli	border-top-left-image:url();	bdb, bb	border-bottom:;;
bdtli:n	border-top-left-image:none;;	bdb+:	border-bottom:1px solid #000;;
bdtli:c	border-top-left-image:continue;;	bdb:n	border-bottom:none;;
bdtri	border-top-right-image:url();	bdbw	border-bottom-width:;;
bdtri:n	border-top-right-image:none;;	bdbs	border-bottom-style:;;
bdtri:c	border-top-right-image:continue;;	bdbs:n	border-bottom-style:none;;
bdbri	border-bottom-right-image:url();	bdhc	border-bottom-color:#000;;
bdbri:n	border-bottom-right-image:none;;	bdhc:t	border-bottom-color:transparent;;
bdbri:c	border-bottom-right-image:continue;;	ndl, bl	border-left:;;
bdbli	border-bottom-left-image:url();	ndl+:	border-left:1px solid #000;;
bdbli:n	border-bottom-left-image:none;;	ndl:n	border-left:none;;
bdbli:c	border-bottom-left-image:continue;;	ndl:w	border-left-width:;;
bdf	border-fit:repeat;;	ndl:s	border-left-style:;;
bdf:c	border-fit:clip;;	ndl:s:n	border-left-style:none;;
bdf:r	border-fit:repeat;;	ndl:c	border-left-color:#000;;
bdf:sc	border-fit:scale;;	ndl:c:t	border-left-color:transparent;;
bdf:st	border-fit:stretch;;	ndrs	border-radius:;;
bdf:ow	border-fit:overwrite;;	ndtrs	border-top-right-radius:;;
bdf:of	border-fit:overflow;;	ndtlrs	border-top-left-radius:;;
bdf:sp	border-fit:space;;	ndbrrs	border-bottom-right-radius:;;
bdlen	border-length:;;	ndblr:s	border-bottom-left-radius:;;
bdlen:a	border-length:auto;;		
bdsp	border-spacing:;;		
bds	border-style:;;		
bds:n	border-style:none;;		
bds:h	border-style:hidden;;		
bds:dt	border-style:dotted;;		
bds:ds	border-style:dashed;;		
bds:s	border-style:solid;;		
bds:db	border-style:double;;		
bds:dt�	border-style:dot-dash;;		
	bds:dt�dt�		
	border-style:dot-dot-dash;;		
	bds:w		
	border-style:wave;;		
	bds:g		
	border-style:groove;;		
	bds:r		
	border-style:ridge;;		
	bds:i		
	border-style:inset;;		

MÁS



CSS

ol	outline:;	bdcl	border-collapse:;	ta	text-align:left;		
bxz	box-sizing:border-box;	ff	font-family:;	ta:l	text-align:left;		
bxz:cb	box-sizing:content-box;	ff:s	font-family:serif;	ta:c	text-align:center;		
bxz:bb	box-sizing:border-box;	ff:ss	font-family:sans-serif;	ta:r	text-align:right;		
bxsh		ff:c	font-family:cursive;	ta:j	text-align:justify;		
box-shadow:inset		ff:f	font-family:fantasy;	ta-lst	text-align-last:;		
hoff		ff:m	font-family:monospace;	tal:a	text-align-last:auto;		
voff		ff:a	font-family: Arial, "Helvetica Neue", Helvetica, sans-serif;	tal:l	text-align-last:left;		
blur		ff:t	font-family: "Times New Roman", Times, Baskerville, Georgia, serif;	tal:c	text-align-last:center;		
color:		ff:v	font-family: Verdana, Geneva, sans-serif;	tal:r	text-align-last:right;		
bxsh:r		fef	font-effect:;	td	text-decoration:none;		
box-shadow:inset		fef:n	font-effect:none;	td:n	text-decoration:none;		
hoff		fef:eg	font-effect:engrave;	td:u	text-decoration:underline;		
voff		fef:eb	font-effect:emboss;	td:o	text-decoration:overline;		
blur		fef:o	font-effect:outline;	td:l	text-decoration:line-through;		
spread		fem	font-emphasize:;	te	text-emphasis:;		
rgb(0, 0, 0);		femp	font-emphasize-position:;	te:n	text-emphasis:none;		
bxsh:ra		femp:b	font-emphasize-position:before;	te:ac	text-emphasis:accent;		
box-shadow:inset		femp:a	font-emphasize-position:after;	te:dt	text-emphasis:dot;		
h		fems	font-emphasize-style:;	te:c	text-emphasis:circle;		
v		fems:n	font-emphasize-style:none;	te:ds	text-emphasis:disc;		
blur		fems:ac	font-emphasize-style:accent;	te:b	text-emphasis:before;		
spread		fems:dt	font-emphasize-style:dot;	te:a	text-emphasis:after;		
rgba(0, 0, 0, .5);		fems:c	font-emphasize-style:circle;	th	text-height:;		
bxsh:n	box-shadow:none;	fems:ds	font-emphasize-style:disc;	th:a	text-height:auto;		
w	width:;	fsm	font-smooth:;	th:f	text-height:font-size;		
w:a	width:auto;	fsm:a	font-smooth:auto;	th:t	text-height:text-size;		
h	height:;	fsm:n	font-smooth:never;	th:m	text-height:max-size;		
h:a	height:auto;	fsm:aw	font-smooth:always;	ti	text-indent:;		
maw	max-width:;	fst	font-stretch:;	ti:-	text-indent:-9999px;		
maw:n	max-width:none;	fst:n	font-stretch:normal;	tj	text-justify:;		
mah	max-height:;	fst:uc	font-stretch:ultra-condensed;	tj:a	text-justify:auto;		
mah:n	max-height:none;	fst:ec	font-stretch:extra-condensed;	tj:iw	text-justify:inter-word;		
miw	min-width:;	fst:c	font-stretch:condensed;	tj:ii	text-justify:inter-ideograph;		
mih	min-height:;	fst:sc	font-stretch:semi-condensed;	tj:ic	text-justify:inter-cluster;		
Font.		fst:se	font-stretch:semi-expanded;	tj:d	text-justify:distribute;		
f	font:;	fst:e	font-stretch:expanded;	tj:k	text-justify:kashida;		
f+	font:1em Arial,sans-serif;	fst:ee	font-stretch:extra-expanded;	tj:t	text-justify:tibetan;		
fw	font-weight:;	fst:ue	font-stretch:ultra-expanded;	to	text-outline:;		
fw:n	font-weight:normal;	Texto.					
fw:b	font-weight:bold;	va	vertical-align:top;	to+	text-outline:0 0 #000;		
fw:br	font-weight:bolder;	va:sup	vertical-align:super;	to:n	text-outline:none;		
fw:lr	font-weight:lighter;	va:t	vertical-align:top;	tr	text-replace:;		
fs	font-style:\${italic};	va:tt	vertical-align:text-top;	tr:n	text-replace:none;		
fs:n	font-style:normal;	va:m	vertical-align:middle;	tt	text-transform:uppercase;		
fs:i	font-style:italic;	va:bl	vertical-align:baseline;	tt:n	text-transform:none;		
fs:o	font-style:oblique;	va:b	vertical-align:bottom;	tt:c	text-transform:capitalize;		
fv	font-variant:;	va:tb	vertical-align:text-bottom;	tt:u	text-transform:uppercase;		
fv:n	font-variant:normal;	va:sub	vertical-align:sub;	tt:l	text-transform:lowercase;		
fv:sc	font-variant:small-caps;						
fz	font-size:;						
fza	font-size-adjust:;						
fza:n	font-size-adjust:none;						

MÁS



css

tw text-wrap:;
tw:n text-wrap:normal;
tw:no text-wrap:none;
tw:u text-wrap:unrestricted;
tw:s text-wrap:suppress;
tsh
text-shadow:hoff voff blur #000;
tsh:r
text-shadow:h v blur rgb(0, 0, 0);
tsh:ra
text-shadow:h v blur rgba(0, 0, 0, .5);
tsh+ text-shadow:0 0 0 #000;
tsh:n text-shadow:none;
lh line-height:;
lts letter-spacing:;
lts-n letter-spacing:normal;
whs white-space:;
whs:n white-space:normal;
whs:p white-space:pre;
whs:nw white-space:nowrap;
whs:pw white-space:pre-wrap;
whs:pl white-space:pre-line;
whsc white-space-collapse:;
whsc:n white-space-collapse:normal;
whsc:k white-space-collapse:keep-all;
whsc:l white-space-collapse:loose;
whsc:bs
white-space-collapse:break-strict;
whsc:ba
white-space-collapse:break-all;
wob word-break:;
wob:n word-break:normal;
wob:k word-break:keep-all;
wob:ba word-break:break-all;
wos word-spacing:;
wow word-wrap:;
wow:nm
word-wrap:normal;
wow:n word-wrap:none;
wow:u word-wrap:unrestricted;
wow:s word-wrap:suppress;
wow:b word-wrap:break-word;

Listas.

```
lis      list-style;;
lis:n   list-style:none;
lisp    list-style-position;;
lisp:i  list-style-position:inside;
lisp:o  list-style-position:outside;
list   list-style-type;;
list:n list-style-type:none;
list:d  list-style-type:disc;
list:c  list-style-type:circle;
list:s list-style-type:square;
```

```
list:dc  list-style-type:decimal;
list:dclz list-style-type:decimal-leading-zero;
list:lr   list-style-type:lower-roman;
list:ur   list-style-type:upper-roman;
lisi    list-style-image:;;
lisi:n  list-style-image:none;
```

Imprimir.

pgb page-break-before;;
pgbb:au page-break-before:auto;
pgbb:al page-break-before:always;
pgbb:l page-break-before:left;
pgbb:r page-break-before:right;
pgbi page-break-inside:;;
pgbi:au page-break-inside:auto;
pgbi:av page-break-inside:avoid;
pgba page-break-after:;;
pgba:au page-break-after:auto;
pgba:al page-break-after:always;
pgba:l page-break-after:left;
pgba:r page-break-after:right;
orp orphans:;;
wid widows:;;

Otros.

```
!important
@font-face {
    font-family: '';
    src: url();
}
@font-face {
    font-family: 'FontName';
    src: url('FileName.eot');
    src: url('FileName.eot?#iefix');
    format('embedded-opentype');
    url('FileName.woff')
    format('woff'),
    url('FileName.ttf')
    format('truetype'),
    url('FileName.svg#FontName')
    format('svg');
    font-style: normal;
    font-weight: normal;
}
```

@i, @import

```
@import url();  
@m, @media  
@media screen {
```

@media screen {

1

```
ac      align-content;;
ac:c   align-content:center;
ac:fe  align-content:flex-end;
ac:fs  align-content:flex-start;
ac:s   align-content:stretch;
```

ac:sa align-content:space-around;
ac:sb align-content:space-between;
ai align-items:;;
ai:b align-items:baseline;
ai:c align-items:center;
ai:fe align-items:flex-end;
ai:fs align-items:flex-start;
ai:s align-items:stretch;
anim animation:;
anim- animation: name
duration
timing-function
delay
iteration-count
direction
fill-mode;
animdel animation-delay:time;
animdir animation-direction:normal;
animdir:a animation-direction:alternate;
animdir:ar
animation-direction:alternate-reverse;
animdir:n animation-direction:normal;
animdir:r animation-direction:reverse;
animdur animation-duration:0s;
animfm animation-fill-mode:both;
animfm:b animation-fill-mode:backwards;
animfm:bt, animfm:bh
animation-fill-mode:both;
animfm:f animation-fill-mode:forwards;
animic animation-iteration-count:1;
animic:i
animation-iteration-count:infinite;
animn animation-name:none;
animps animation-play-state:running;
animps:p animation-play-state:paused;
animps:r animation-play-state:running;
animtf
animation-timing-function:linear;
animtf:cb
animation-timing-function:
cubic-bezier(0.1, 0.7, 1.0, 0.1);
animtf:e animation-timing-function:ease;
animtf:ei
animation-timing-function:ease-in;
animtf:eo
animation-timing-function:ease-in-out;
animtf:eo
animation-timing-function:ease-out;
animtf:l
animation-timing-function:linear;

MÁS



CSS

```
ap    appearance:${none};          op+   opacity: ;  
as    align-self:;               filter: alpha(opacity=);  
as:a  align-self:auto;          op:ie  
as:b  align-self:baseline;      filter:progid:DXImageTransform.  
as:c  align-self:center;        Microsoft.Alpha(Opacity=100);  
as:fe align-self:flex-end;      op:ms  
as:fs align-self:flex-start;    -ms-filter:'progid:DXImageTransform.  
as:s  align-self:stretch;       Microsoft.Alpha(Opacity=100)';  
bfv   backface-visibility:;     ord   order:;  
bfv:h backface-visibility:hidden; ori   orientation:;  
bfv:v backface-visibility:visible; ori:l orientation:landscape;  
bg:ie  
filter:progid:DXImageTransform.  
Microsoft.AlphaImageLoader(  
src='x.png',sizingMethod='crop'  
);  
cm    /* ${child} */  
colm   columns:;  
colmc  column-count:;  
colmf   column-fill:;  
colmg  column-gap:;  
colmr  column-rule:;  
colmrc column-rule-color:;  
colmrs column-rule-style:;  
colmrw column-rule-width:;  
cols   column-span:;  
colmw  column-width:;  
d:ib+  display: inline-block;  
       *display: inline;  
       *zoom: 1;  
fx    flex:;  
fxb   flex-basis:;  
fxd   flex-direction:;  
fxd:c flex-direction:column;  
fxd:cr  
flex-direction:column-reverse;  
fxd:r  flex-direction:row;  
fxd:rr  
flex-direction:row-reverse;  
fxf   flex-flow:;  
fxg   flex-grow:;  
fxsh  flex-shrink:;  
fxw   flex-wrap:;  
fxw:n flex-wrap:nowrap;  
fxw:w flex-wrap:wrap;  
fxw:wr flex-wrap:wrap-reverse;  
jc    justify-content:;  
jc:c  justify-content:center;  
jc:fe justify-content:flex-end;  
jc:fs  justify-content:flex-start;  
jc:sa  
justify-content:space-around;  
jc:sb  
justify-content:space-between;  
mar   max-resolution:res;  
mir   min-resolution:res;
```



```
op+   opacity: ;  
filter: alpha(opacity=);  
op:ie  
filter:progid:DXImageTransform.  
Microsoft.Alpha(Opacity=100);  
op:ms  
-ms-filter:'progid:DXImageTransform.  
Microsoft.Alpha(Opacity=100)';  
ord   order:;  
ori   orientation:;  
ori:l orientation:landscape;  
ori:p orientation:portrait;  
tov   text-overflow:${ellipsis};  
tov:c text-overflow:clip;  
tov:e text-overflow:ellipsis;  
trf   transform:;  
trf:r transform: rotate(angle);  
trf:rx transform: rotateX(angle);  
trf:ry transform: rotateY(angle);  
trf:rz transform: rotateZ(angle);  
trf:sc transform: scale(x, y);  
trf:sc3 transform: scale3d(x, y, z);  
trf:scx transform: scaleX(x);  
trf:scy transform: scaleY(y);  
trf:scz transform: scaleZ(z);  
trf:skx transform: skewX(angle);  
trf:sky transform: skewY(angle);  
trf:t  transform: translate(x, y);  
trf:t3 transform: translate3d(tx, ty, tz);  
trf:tx transform: translateX(x);  
trf:ty transform: translateY(y);  
trf:tz transform: translateZ(z);  
trfo  transform-origin:;  
trfs  transform-style:preserve-3d;  
trs   transition:prop time;  
trsde transition-delay:time;  
trsdu transition-duration:time;  
trsp   transition-property:prop;  
trstf  transition-timing-function:tfunc;  
us    user-select:${none};  
wfsm  
-webkit-font-smoothing:${antialiased};  
wfsm:a -webkit-font-smoothing:antialiased;  
wfsm:n -webkit-font-smoothing:none;  
wfsm:s, wfsm:sa  
-webkit-font-smoothing:subpixel-antialiased;  
wm    writing-mode:lr-tb;  
wm:tbl writing-mode:bt-lr;  
wm:btr writing-mode:bt-rl;  
wm:lrb writing-mode:lr-bt;  
wm:lrt writing-mode:lr-tb;  
wm:rlb writing-mode:rl-bt;  
wm:rlt writing-mode:rl-tb;  
wm:tbl writing-mode:tb-lr;  
wm:tbr writing-mode:tb-rl;
```